

This article is a stub. You can help Foresight Wiki by [expanding it](#).



[\[edit\]](#) [\[purge\]](#) [Template documentation](#)

This documentation transcluded from [Template:Asbox/doc](#)([edit](#) | [history](#))

This is the **asbox** or **article stub box** meta template. It is the standard template used for creating new or updating existing *article stub box* templates. It supports most, if not all, stub template styles.

Contents

- [1 Basic usage](#)
- [2 Full usage](#)
- [3 Parameters](#)
 - ◆ [3.1 icon<code>](#)
[or <code>image](#)
 - ◆ [3.2 pix](#)
 - ◆ [3.3 subject and
qualifier](#)
 - ◆ [3.4 category](#)
 - ◆ [3.5 tempsort](#)
 - ◆ [3.6 category1](#)
 - ◆ [3.7 tempsort1](#)
 - ◆ [3.8 category2](#)
 - ◆ [3.9 tempsort2](#)
 - ◆ [3.10 note](#)
 - ◆ [3.11 name](#)
- [4 Examples](#)
 - ◆ [4.1 Using image](#)

Basic usage

```
{{asbox
| image      = just the name of the image, e.g. Image.png - will be sized at 40x30px
| subject    = given before "article", e.g. "this *biographical* article is a stub"
| qualifier  = given after "article" e.g. "this article *about a musician* is a stub"
| category   = just the name of the category to place tagged pages in, e.g. History stubs
| name       = the full name of the stub template itself, used to reference itself internally
}}
```

This simple usage should suffice for a great many stub templates. Additional parameters are described below for advanced use.

Full usage

```
{{asbox
| image      = Ambox style.png
| pix        =
| subject    =
| qualifier  =
| category   =
```

```
| tempsort  =
| category1 =
| tempsort1 =
| note      =
| name      = {{subst:FULLPAGENAME}}
}}
```

Parameters

icon<code> or <code>image

If the image is called with an icon template, *icon* is set to the full syntax of the template; that's the name of the template, plus any arguments (separated with |), including the {{ and }} around it. Icon can also be used to provide the full image markup (include the opening and closing square brackets), if special image settings such as "border" are to be used. If the image is called explicitly *image* is the name of the image :- *pix* will likely be required as well, the default value for *pix* is 40x30.

imagealt may be used to override the default alternate text for images which is set to "Stub icon".

pix

The size of the image in pixels (no need to append px). Only *required* if *image* is used and this image requires a size different from the default maximum of 40x30 pixels. (Note that in the interests of standardising the formats of stub messages, images of size 40x30 are much preferred.)

subject and qualifier

This *subject* article *qualifier* is a stub...

Examples:

- This **geography** article **about a place in Rohan** is a stub...
- This **elementary physics** article is a stub...
- This article **about Rudolph the Red-nosed reindeer** is a stub...

category

The stub category the articles should go in.

tempsort

If exists the stub template (and any other templates) will be put in its own category sorted as " " (space) followed by *tempsort*, otherwise it will be sorted with the value of " " (space) followed by the template name.

Template:Asbox

category1

An optional second stub category the articles should go in.

tempsort1

If exists the stub template (and any other templates) will be put in its own category sorted as " " (space) followed by `tempsort1`, otherwise it will be sorted with the value of " " (space) followed by the template name.

category2

An optional third stub category the articles should go in.

tempsort2

If exists the stub template (and any other templates) will be put in its own category sorted as " " (space) followed by `tempsort2`, otherwise it will be sorted with the value of " " (space) followed by the template name.

note

If exists the value will be added, as a "small" note, to the stub template.

name

The full page name of the template itself.

Examples

Using image

```
{{Asbox
| name      = http://forwiki.euhttp://ww.forwiki.eu/wiki/Clarifications:Systems_Thinking_for_Foresi
| image     = Sigla-qlhe.png
| pix       = 30
| subject   = [[Articles:Bucharest_Dialogues | Bucharest Dialogues]]
}}
```

appears as:

 This *Systems Thinking for Foresight* article is a stub. You can help Foresight Wiki by *expanding it*.

There are several meta-templates in the mbox family:

- `{{ambox}}` ? For article message boxes.

category1

Template:Asbox

- {{tmbox}} ? For talk page message boxes.
- {{imbox}} ? For file (image) page message boxes.
- {{cmbox}} ? For category message boxes.
- {{ombox}} ? For other pages message boxes.
- {{mbox}} ? Has namespace detection, for message boxes that are used on several types of pages and thus need to change style depending on what page they are used on.

Closely related meta-templates:

- {{fmbox}} ? For header and footer message boxes.
- {{dmbox}} ? For disambiguation and set index message boxes.
- {{asbox}} ? For article stub message boxes.

